

Hole ID	From (meters)	To (meters)	Interval (meters)	Silver gpt	Gold gpt	Pb %	Zn %	Geologic Intersection
<b>CDH-19-001</b>	59	75.5	16.5	<b>93</b>	N/A	-	-	Hanging-wall Vein
Including	61.58	71	9.42	<b>141</b>	N/A	-	-	<b>F Vein</b>
Including	68	70.15	2.15	<b>307</b>	N/A	-	-	
<b>CDH-19-002</b>	49.83	51	1.17	<b>111</b>	N/A	-	-	Hanging-wall Vein
	70	84	14	<b>104</b>	N/A	-	-	<b>F Vein</b>
Including	80	81	1	<b>328</b>	N/A	-	-	
	71.27	75	3.73	<b>213</b>	<b>0.311</b>	-	-	
Including	71.27	72	0.73	<b>332</b>	<b>0.554</b>	-	-	
<b>CDH-19-003</b>	15	20	5	<b>85</b>	N/A	-	-	<b>F Vein</b>
<b>CDH-19-004</b>	No Significant values							N/A
<b>CDH-19-005</b>	20	24.83	4.83	<b>230</b>	-	-	-	<b>F Vein</b>
Including	21	22.15	1.15	<b>775</b>	-	-	-	
Including	21	23	2	<b>518</b>	-	-	-	
<b>CDH-19-006</b>	139	140.5	1.5	<b>235</b>	-	-	-	Hanging-wall vein Stockwork
	150.61	151.48	0.87	<b>267</b>	-	-	-	
	165	175.45	10.45	<b>133</b>	-	-	-	
Including	174	175.45	1.45	<b>287</b>	-	-	-	
	175.45	178	2.55	N/A	-	-	-	Mined Stope
<b>CDH-19-007</b>	110	111.68	1.68	<b>417</b>	-	-	0.125	Hanging Wall Vein
	149.45	151	1.55	<b>693</b>	-	0.428	1.13	
	151	154	3	N/A	-	N/A	N/A	Mined Stope
<b>CDH-19-008</b>	19	52.5	33.5	112	-	N/A	N/A	Hanging Wall Vein
Includes	42.45	47.3	4.85	<b>408</b>	-	0.695	1.08	<b>F Vein</b>
Includes	44.25	44.83	0.58	<b>707</b>	-	0.271	0.43	
Includes	44.83	46	1.17	<b>366</b>	-	0.135	0.162	
Includes	46	47.3	1.3	<b>509</b>	-	0.164	0.26	
	63.92	65.38	1.46	148	-	-	-	
<b>CDH-19-009</b>	145	147.9	2.9	<b>516</b>	-	-	0.206	Hanging Wall Vein
Includes	147	147.9	0.9	<b>1,070</b>	-	0.0193	0.411	
	168	178.4	10.4	50	-	-	-	
	178.4	181.45	3.05	N/A	-	-	-	
<b>CDH-19-010</b>	0	3.05	3.05	200	-	-	-	Hanging Wall Vein
	177	190	13	42	-	-	-	Altered Intrusive
Includes	188	189	1	197	-	-	-	Hanging Wall Vein
	215	217	2	112	-	-	0.256	
	219	221.53	2.53	<b>338</b>	-	0.275	0.63	<b>F Vein</b>
Includes	219	220.6	1.6	<b>391</b>	-	0.293	0.72	
Includes	220.6	221.53	0.93	<b>247</b>	-	0.245	0.477	
<b>CDH-19-011</b>	63	74	<b>11</b>	<b>133</b>	-	0.04	0.15	<b>F Vein</b>
Includes	63	68	<b>5</b>	<b>245</b>	0.126	0.07	0.27	
Includes	65	66	<b>1</b>	<b>648</b>	0.634	0.218	0.609	
	104	105.2	1.2	228	-	0.126	0.561	Footwall Vein
	122.13	124	1.87	102	-	0.031	0.113	Footwall Vein
<b>CDH-19-012</b>	145.65	147	1.35	113	-	0.041	0.064	Hanging Wall
	150.3	152.4	<b>2.1</b>	<b>699</b>	-	0.366	0.799	Vein
	214.5	215.1	0.6	113	-	0.053	0.092	<b>F Vein</b>
	237	248	<b>11</b>	<b>184</b>	0.205	0.13	0.393	
Includes	238.85	242	<b>3.15</b>	<b>476</b>	0.657	0.295	1.04	
Includes	239.65	241.4	<b>1.75</b>	<b>755</b>	1.158	0.47	1.725	
	270	272	2	111	-	0.017	0.02	
<b>CDH-19-013</b>	62	80.85	18.85	45	-	0.01	0.1	Hanging Wall
								Vein
	80.85	85	4.15	273	-	0.07	0.2	<b>I Vein</b>
Includes	80.85	81.5	<b>0.65</b>	<b>697</b>	-	0.15	0.29	
Includes	82.35	85	<b>2.65</b>	<b>328</b>	-	0.1	0.24	

<b>CDH-19-014</b>	54.08	54.59	0.51	155	-	0.055	0.125	Hanging Wall Vein
	80.43	80.85	<b>0.42</b>	<b>894</b>	-	0.023	0.408	Hanging Wall Vein
	107.57	108.3	0.73	115	-	0.049	0.133	Hanging Wall Vein
	136	137.25	1.25	262	-	0.207	0.648	Hanging Wall Vein
	158	162.71	<b>5.01</b>	<b>261</b>	-	0.316	0.55	<b>I Vein</b>
<b>CDH-19-015</b>	224	224.56	0.56	283	-	-	-	<b>F Vein</b>
<b>CDH-19-016</b>	58.33	62.5	4.17	26	-	0.021	0.034	Hanging wall vein
	67.1	67.4	<b>0.3</b>	<b>1,005</b>	-	0.361	0.687	<b>I Vein</b> (mined stope)
<b>CDH-19-017</b>	104	117.4	13.4	71	-	0.04	0.12	<b>I Vein</b>
Includes	112	117.4	5.4	146	-	0.1	0.24	
Includes	114.92	117.4	2.48	212	-	0.2	0.33	
	117.4	118.95	1.55	-	-	-	-	
<b>CDH-19-018</b>	16.7	70.83	54.13	32	-	0.01	0.05	Hanging Wall Vein, <b>I Vein &amp;</b> Footwall
Includes	40.86	41.4	<b>0.54</b>	<b>357</b>	-	-	-	<b>I Vein</b>
Includes	63	63.71	0.71	237	-	0.091	0.268	Footwall Vein
<b>CDH-19-019</b>	15	27	12	35	-	0.01	0.08	HangingWall vein
	53.55	79.3	25.75	25	-	0.01	0.05	
	102	119.04	17.04	42	-	0.03	0.07	
Includes	109.8	110.32	0.52	175	-	0.308	0.462	
<b>CDH-19-020</b>	95	97	2	147	-	0.032	0.1	Hanging Wall Vein
	179.06	180.04	0.98	122	-	0.126	0.513	I Vein
	259	260.75	1.75	113	-	0.077	0.332	Footwall Vein
<b>CDH-19-021</b>	91	92.2	1.2	187	-	0.1	0.361	D vein
	92.2	116	23.8	51	-	0.02	0.1	Footwall stockwork-breccias
Includes	112	114	2	191	-	0.084	0.168	
<b>CDH-19-022</b>	77.75	84	6.25	<b>244</b>	-	0.117	0.231	<b>D Vein</b>
Includes	79.3	80.8	1.5	373	-	0.211	0.403	
<b>CDH-19-023</b>	139.9	150.2	10.3	60	-	0.034	0.085	<b>E vein</b>
Includes	143	144	1	138	-	0.046	0.115	
	157.1	158.74	1.64	236	-	0.074	0.068	Footwall E Vein
	175.35	176.6	1.25	145	-	0.028	0.08	
	193.38	194.34	0.96	146	-	0.047	0.072	
	201	202	1	138	-	0.067	0.044	
<b>CDH-19-024</b>	29.48	31	1.52	198	-	0.05	0.138	<b>J Vein</b>
Includes	30.5	31	0.5	<b>358</b>	-	0.033	0.337	
	48.8	74	25.2	47	-	0.02	0.087	Z vein-Breccias
Includes	53.4	54.9	1.5	160	-	0.064	0.167	<b>Z Vein</b>
<b>CDH-19-025</b>	135.2	233.3	<b>98.1</b>	<b>32</b>	-	0.03	0.119	Stockworks and Breccias
Includes	186.05	193.65	<b>7.6</b>	<b>105</b>	-	0.103	0.411	
<b>CDH-10-026</b>	89	172	83	28	-	0.02	0.06	Stockworks and Breccias
<b>CDH-19-027</b>	120.09	147	26.91	43	-	0.05	0.1	Faulted J vein
Includes	121	127.56	<b>6.56</b>	<b>115</b>	-	0.18	0.25	
Includes	126.17	127.56	<b>1.39</b>	<b>247</b>	-	0.8	0.56	
<b>CDH-19-028</b>	138	205	67	40	-	0.03	0.08	Hydrothermal breccia and Stockwork
Includes	153	167	14	<b>72</b>	-	0.03	0.09	Stockwork
Includes	160	162	2	163	-	0.23	0.31	
Includes	195	205	10	95	-	0.11	0.21	
<b>CDH-19-029</b>	42.7	45.35	<b>2.65</b>	<b>73</b>	-	0.02	0.04	
	114	166	52	26	-	0.01	0.04	<b>Z Vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	128	136	8	67	-	0.02	0.05	
Includes	130.21	132.3	<b>2.09</b>	<b>172</b>	-	0.05	0.1	
Includes	164	166	<b>2</b>	<b>104</b>	-	0.02	0.06	
<b>CDH-19-030</b>	67.1	76	<b>8.9</b>	<b>76</b>	-	0.02	0.11	<b>J Vein</b> - Fractured Zone, Quartz Barite vein
Includes	70.67	74	<b>3.33</b>	<b>173</b>	-	0.06	0.24	
	149.15	175	<b>25.85</b>	<b>200</b>	-	0.03	0.15	<b>Z Vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	150.5	161.65	<b>11.15</b>	<b>415</b>	-	0.07	0.26	
Includes	154	158.07	<b>4.07</b>	<b>721</b>	-	0.08	0.33	
Includes	154	160.1	<b>6.1</b>	<b>573</b>	-	0.07	0.3	
Includes	156.17	158.07	<b>1.9</b>	<b>982</b>	-	0.08	0.4	

<b>CDH-19-031</b>	223	226	<b>3</b>	<b>314</b>	-	0.2	0.28	<b>E vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	224.15	224.78	<b>0.63</b>	<b>776</b>	-	0.41	0.32	
<b>CDH-19-032</b>	165	175	10	24	-	0.27	0.6	<b>E Vein</b> - Brecciated rhyolite with stockwork of Quartz and Barite
	238.85	289	50.15	20	-	0.02	0.07	Quartz veinlets in Rhyolite and Hydrothermal Breccias
<b>CDH-19-033</b>	105.2	165	59.8	48	-	0.03	0.13	<b>E vein</b> - Fault zone, manganese calcite vein, and rhyolite fragments
Includes	150.95	160.52	<b>9.57</b>	<b>146</b>	-	0.27	1	
<b>CDH-19-034</b>	38.15	54	15.85	68	-	0.02	0.05	Oxidized rhyolite with phenocrystals and quartz stockworks
Includes	41.2	47.83	<b>6.63</b>	<b>103</b>	-	0.04	0.04	<b>E vein</b> - Quartz-barite vein with banded textures
	107	130.21	23.21	20	-	0.16	0.03	Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	117	118	<b>1</b>	<b>124</b>	-	0.04	0.4	
<b>CDH-19-035</b>	39	50.35	<b>11.35</b>	<b>103</b>	-	0.02	0.07	Quartz- Calcite Veinlet Stockwork in Footwall of F Vein
Includes	46	48.28	<b>2.28</b>	<b>405</b>	-	0.054	0.1	
	119	142	23	60	-	0.04	0.16	
Includes	119	122	<b>3</b>	<b>274</b>	-	0.18	0.6	F Vein, Banded Quartz
Includes	120.65	122	<b>1.35</b>	<b>494</b>	-	0.327	1.14	
	179	186.05	<b>7.05</b>	<b>114</b>	-	0.04	0.08	Quartz Calcite Veinlet Stockwork
Includes	179	180	<b>1</b>	<b>547</b>	-	0.1	0.2	Hydrothermal Breccia E Vein
	181	182	1	134	-	0.05	0.06	
CDH-19-036	No significant values							
CDH-19-037	No significant values							
<b>CDH-19-038</b>	161.51	165.53	4.02	65	-	0.03	0.05	Hydrothermal Breccia
Includes	164.7	165.53	0.83	198	-	0.104	0.09	Banded Quartz (F Vein?)
	195.2	196	0.8	106	-	0.02	0.03	Quartz barite vein
	244	254	<b>10</b>	<b>175</b>	-	0.03	0.12	
Includes	247.05	251.68	<b>4.63</b>	<b>301</b>	-	0.05	0.15	B Vein - Quartz, Quartz-Barite veins, veinlet stockwork and silicified rhyolite
Includes	247.05	248.55	<b>1.5</b>	<b>628</b>	-	0.108	0.284	
Includes	248.55	250.6	2.05	106	-	0.007	0.113	
Includes	250.6	251.68	1.08	218	-	0.07	0.06	
<b>CDH-19-039</b>	15.25	21.35	<b>6.1</b>	<b>67</b>	-	0.01	0.06	F Vein close to surface
<b>CDH-19-040</b>	21	25.9	<b>4.9</b>	<b>194</b>	-	0.07	0.19	F Vein Banded Quartz
Includes	22.85	23.73	<b>0.88</b>	<b>808</b>	-	0.28	0.42	
Includes	23.73	24.16	0.43	<b>173</b>	-	0.05	0.14	
<b>CDH-19-041</b>	15	54.9	<b>39.9</b>	<b>159</b>	-	0.05	0.13	F Vein Banded Quartz
Includes	42.85	50.3	<b>7.45</b>	<b>650</b>	-	0.23	0.26	
Includes	42.85	44	<b>1.15</b>	<b>919</b>	-	0.361	0.092	
Includes	44	45	<b>1</b>	<b>953</b>	-	0.337	0.373	
Includes	45	46	<b>1</b>	<b>527</b>	-	0.163	0.213	
Includes	46	47	<b>1</b>	<b>860</b>	-	0.242	0.417	
Includes	47	48.8	<b>1.8</b>	<b>715</b>	-	0.302	0.259	
<b>CDH-20-042</b>	42.4	42.7	0.3	<b>115</b>	-			Hanging wall Quartz vein
And	67	80	13	<b>86</b>	-	0.02	0.1	<b>F Vein system &amp; mined stope</b>
And	70.4	76.3	5.9	<b>111</b>	-	0.03	0.11	
<b>CDH-20-043</b>	63	64	1	<b>105</b>	-	0.02	0.06	<b>F Vein system &amp; mined stope</b>
And	75	80	5	<b>119</b>	-	0.05	0.16	
<b>CDH-20-044</b>	29	30.9	1.9	56	-	0.03	0.01	Calcite-Quartz-Barite vein (Footwall Vein)
<b>CDH-20-045</b>	63.7	68	4.3	<b>239</b>	-	0.08	0.36	Faulted F Vein
Includes	64.6	67.1	2.5	<b>350</b>	-	0.12	0.48	<b>F Vein</b>
Includes	65.6	67.1	1.5	<b>456</b>	-	0.17	0.62	
And	77	80	3	<b>208</b>	-	0.08	0.21	
Includes	78.3	78.8	0.5	<b>974</b>	-	0.03	0.3	
<b>CDH-20-046</b>	71	77.8	6.8	<b>264</b>	-	0.06	0.13	Quartz Barite Vein, (Footwall Vein)
Includes	71.8	73.2	1.4	<b>911</b>	-	0.24	0.24	<b>F Vein Structure</b>
Includes	71.8	74.7	2.9	<b>553</b>	-	0.13	0.18	
Includes	71.8	72.4	0.6	<b>1585</b>	-	0.33	0.33	

Includes	72.7	73.2	0.5	<b>689</b>	-	0.206	0.29	F Vein Structure
Includes	73.2	74.7	1.5	<b>219</b>	-	0.04	0.13	
<b>CDH-20-047</b>	111	126.65	15.65	<b>166</b>	-	0.17	0.47	
Includes	114	119.97	5.97	<b>351</b>	-	0.4	1.03	
Includes	115	119.97	4.97	<b>400</b>	-	0.45	1.2	
Includes	115.7	116.75	1.05	<b>782</b>	-	1.13	3.6	F Vein Structure
Includes	116.75	117.9	1.15	<b>305</b>	-	0.1	0.3	
Includes	117.9	119	1.1	<b>219</b>	-	0.38	0.65	
Includes	119	119.97	0.97	<b>432</b>	-	0.48	1.05	
Includes	119.97	126.65	6.68	55	-	0.02	0.13	
<b>CDH-20-048</b>	108.69	109.75	<b>1.06</b>	<b>259</b>	-	0.16	0.3	Hanging-wall Structure
	182	189	<b>7</b>	<b>124</b>	-	0.16	0.6	
including	184.4	188	<b>3.6</b>	<b>197</b>	-	0.28	1.07	F Vein Structure
including	184.4	186.05	<b>1.65</b>	<b>257</b>	-	0.33	1.74	
	219	220	1	104	-	0.2	0.04	Footwall Structure
<b>CDH-20-049</b>	124	126.8	<b>2.8</b>	<b>762</b>	-	0.42	0.54	Hanging-wall Vein
including	125.8	126.8	<b>1</b>	<b>2010</b>	-	1.18	1.24	
	248.8	259	<b>10.2</b>	<b>68</b>	-	0.02	0.1	Hanging-wall Structure
including	250.95	251.6	<b>0.65</b>	<b>368</b>	-	0.2	0.43	
	311	315.4	<b>4.4</b>	<b>209</b>	-	0.16	0.26	F Vein Structure
including	311.9	312.7	0.8	<b>212</b>	-	0.29	0.53	
and	314	315.4	<b>1.4</b>	<b>484</b>	-	0.15	0.3	
<b>CDH-20-050</b>	137.8	145.9	<b>8.1</b>	<b>92</b>	-	0.07	0.12	Hanging-wall Structure
including	140.2	140.7	<b>0.5</b>	<b>737</b>	-	0.257	0.52	
	175	213	38	50	-	0.04	0.11	
including	175	176.2	1.2	141	-		0.09	F Vein Structure
and	184.7	185.15	<b>0.45</b>	<b>486</b>	-	0.24	0.15	
and	198.25	200.06	1.81	118	-	0.13	0.24	
and	211	213	2	119	-	0.06	0.22	
<b>CDH-20-051</b>	147	153	<b>6</b>	<b>317</b>	-	0.12	0.17	Hanging-wall Structure
including	149	151	<b>2</b>	<b>865</b>	-	0.37	0.42	
	193	198	<b>5</b>	<b>87</b>	-	0.07	0.1	Hanging-wall Vein
including	196.54	198	1.46	<b>135</b>	-	0.02	0.15	
	207	243	<b>36</b>	<b>72</b>	-	0.05	0.17	F Vein Structure
including	207	211.36	<b>4.36</b>	<b>317</b>	-	0.27	0.93	
and	210.26	211.36	<b>1.1</b>	<b>769</b>	-	0.75	2.88	
	278	281.63	3.63	147	-	0.21	1.41	Footwall Structure
<b>CDH-20-052</b>	100.92	143.35	42.43	61	-	0.03	0.12	
Including	100.92	108.45	7.53	199	-	0.08	0.27	F Vein + Hanging Wall
	100.92	105	4.08	<b>279</b>	-	0.11	0.38	
	102.39	105	2.61	<b>366</b>	-	0.14	0.5	
Including	102.39	103.62	1.23	<b>601</b>	-	0.26	0.76	
And	132.55	134.48	1.93	103	-	0.06	0.67	F Vein
CDH-20-053	72.48	72.91	0.43	193	-	0.13	0.19	F Vein + Hanging Wall
And	138	172	34	116	-	0.11	0.24	
Including	139	150	11	175	-	0.17	0.37	
Including	161.65	164.65	3	<b>496</b>	-	0.55	0.91	F Vein
Including	162.65	164.65	2	<b>620</b>	-	0.35	0.9	
Including	162.65	163.6	0.95	<b>753</b>	-	0.38	1	
Including	163.6	164.65	1.05	<b>501</b>	-	1	0.82	
<b>CDH-20-054</b>	98	123	25	57	-	0.12	0.13	F Vein
Including	106	111	5	158	-	0.4	0.35	
Including	108	109.8	1.8	<b>319</b>	-	0.18	0.5	
And	121	123	2	104	-	0.07	0.28	F Vein Footwall
<b>CDH-20-055</b>	196.7	199.75	3.05	58	-	0.05	0.11	F Vein
Including	198.25	198.8	0.55	101	-	0.1	0.15	
And	217	221	4	171	-	0.1	0.3	Footwall Structure
Including	217	219	2	150	-	0.08	0.27	
Including	219	221	2	192	-	0.2	0.31	
<b>CDH-20-056</b>	Abandoned Due to Bad Ground							
<b>CDH-20-057</b>	275.91	280.47	4.56	103	-	0.12	0.19	

Includes	275.91	280.47	1.81	163	-	0.26	0.32	F Vein
And	166	226.84	60.84	40	-	0.03	0.1	
<b>CDH-20-058</b>	Hit An Old Mine Working At Target Depth							
<b>CDH-20-059</b>	No Significant values							F Vein
<b>CDH-20-060</b>	144	208	64	132	-	0.03	0.1	J-Z Vein
Includes	147	156	9	226	-	0.03	0.13	
Includes	152	153	1	<b>1025</b>	-	0.08	0.21	
Includes	183	205	22	229	-	0.05	0.14	
Includes	190	201	11	<b>361</b>	-	0.08	0.18	
Includes	191	196	5	<b>608</b>	-	0.09	0.12	
Includes	191	192	1	<b>447</b>	-	0.034	0.096	
Includes	192	193	1	<b>342</b>	-	0.056	0.081	
Includes	193	194	1	<b>1160</b>	-	0.1	0.128	
Includes	194	195	1	<b>776</b>	-	0.175	0.223	
Includes	195	196	1	<b>315</b>	-	0.093	0.101	
<b>CDH-20-061</b>	180	210.85	30.85	<b>43</b>	-	0.02	0.06	Hydrothermal Breccia & Stockwork
Includes	180	181	1	<b>164</b>	-	0.15	0.1	
Includes	180	188	8	<b>63</b>	-	0.35	0.72	
Includes	194	197	3	<b>72</b>	-	0.05	0.06	
Includes	203	204	1	<b>108</b>	-	0.03	0.06	
Includes	203	210.85	7.85	<b>54</b>	-	0.02	0.06	
	222	224	2	<b>144</b>	-	0.1	0.52	
<b>CDH-20-062</b>	69.4	81	<b>11.6</b>	<b>93</b>	-	0.03	0.1	Hydrothermal Breccia & Stockwork
Includes	71	79.3	<b>8.3</b>	<b>115</b>	-	0.04	0.13	
Includes	71	72	1	161	-	0.09	0.2	
Includes	72	73	1	141	-	0.056	0.14	
Includes	73	74.7	1.7	111	-	0.05	0.1	
Includes	76.25	77.75	1.5	103	-	0.01	0.04	
Includes	77.75	79.3	1.55	141	-	0.06	0.23	
<b>CDH-20-063</b>	66	75	<b>9</b>	<b>91</b>	-	0.04	0.08	Hydrothermal Breccia & Stockwork
Includes	70	73.2	<b>3.2</b>	<b>165</b>	-	0.1	0.11	
	161.51	164	<b>2.49</b>	<b>187</b>	-	0.05	0.06	
Includes	161.51	162	<b>0.49</b>	<b>762</b>	-	0.15	0.15	
<b>CDH-20-064</b>	61.31	69	<b>7.69</b>	<b>67</b>	-	0.02	0.04	Quartz Vein
Includes	62.5	67	4.5	100	-	0.03	0.05	
<b>CDH-20-065</b>	72	79	<b>7</b>	<b>106</b>	-	0.02	0.11	Quartz Vein
<b>CDH-20-066</b>	129	148	19	22	-	0.01	0.03	Hydrothermal Breccia & Stockwork
Includes	144	148	4	52	-	0.01	0.03	
	189.5	215	<b>25.5</b>	<b>69</b>	-	0.05	0.15	
Includes	206	215	<b>9</b>	<b>154</b>	-	0.1	0.3	
Includes	213.5	215	<b>1.5</b>	<b>773</b>	-	0.4	0.8	
<b>CDH-20-067</b>	87	137.25	50.25	18	-	0.01	0.03	Hydrothermal breccia & Stockwork (J&Z Vein)
<b>CDH-20-068</b>	213	215.88	2.88	58	-	0.01	0.17	Hydrothermal breccia & Stockwork (J&Z Vein)
<b>CDH-20-069</b>	132	211	79	58	-	0.04	0.22	Hydrothermal breccia & Stockwork (J&Z Vein)
Includes	159	169.1	10.1	152	-	0.14	0.4	
Includes	166	169.1	3.1	325	-	0.37	2.6	
Includes	169.1	171	1.9	115	-	0.03	0.49	
Includes	177	179	2	176	-	0.04	0.11	
Includes	179	180	1	111	-	0.035	0.09	
Includes	190.6	192	1.4	126	-	0.089	0.16	
	286.28	286.82	0.54	336	-	0.355	2.08	
<b>CDH-20-070</b>	83	84.4	1.4	91	-	0.04	0.14	Hydrothermal breccia & Stockwork (J&Z Vein)
	130	133	3	64	-	0.02	0.13	
	171.8	175.58	3.78	170	-	0.07	0.32	
	202.5	230.25	27.75	40	-	0.02	0.06	
<b>CDH-20-071</b>	100.03	100.65	0.62	178	-	0.11	0.38	Hydrothermal breccia (E Vein)
	107	108	1	74	-	0.03	0.15	Quartz stockwork (E Vein)
<b>CDH-20-072</b>	No Significant values							
<b>CDH-20-073</b>	95.59	97.06	1.47	102	-	0.02	0.07	E Vein

	121.37	121.91	0.54	69	-	0.01	0.02	Hydrothermal breccia & Quartz barite vein
<b>CDH-20-074</b>	64.35	64.9	0.55	91	-	0.043	0.05	E vein
<b>CDH-20-075</b>	232	239.5	7.5	33	-	0.01	0.05	Quartz stockwork (E Vein)
<b>CDH-20-076</b>	69.94	164	94.06	40	-	0.03	0.07	Hydrothermal breccia & Quartz barite vein (W Vein)
Includes	83.5	84.5	1	272	-	0.1	0.18	W Vein
Includes	83.5	90.5	7	97	-	0.03	0.12	W Vein system
Includes	96.5	100	3.5	105	-	0.03	0.1	Hydrothermal breccia
Includes	134.2	138	3.8	98	-	0.11	0.18	Faulted hydrothermal breccia
	185	186.19	1.19	118	-	0.02	0.01	Quartz stockwork
<b>CDH-20-077</b>	No Significant values							E Vein
<b>CDH-20-078</b>	No Significant values							E Vein
<b>CDH-20-079</b>	150.95	160	9.05	179	-	0.05	0.14	D vein
Includes	150.95	156.3	5.35	290	-	0.08	0.22	
Includes	153.6	155.18	1.58	525	-	0.14	0.42	
Includes	153.6	154.34	0.74	689	-	0.226	0.52	
Includes	154.34	155.18	0.84	381	-	0.06	0.33	
<b>CDH-20-080</b>	92	116.25	24.25	80	-	0.04	0.11	D Vein
Includes	93	95.5	2.5	195	-	0.06	0.13	
<b>CDH-20-081</b>	No Significant values							
<b>CDH-20-082</b>	26.3	30.5	4.2	42	-	0.02	0.03	F Vein system
	93	95.5	2.5	195	-	0.06	0.11	F Vein
Includes	93	94	1	434	-	0.15	0.15	
and	127.5	198	70.5	112	-	0.02	0.1	B Vein system
Includes	183	192	9	691	-	0.11	0.46	B Vein
Includes	184.5	189.1	4.6	1,186	-	0.2	0.53	
Includes	184.5	186.05	1.55	1,455	-	0.13	0.34	
Includes	186.05	187.55	1.5	1,055	-	0.378	0.88	
Includes	187.55	189.1	1.55	1,045	-	0.092	0.38	
<b>CDH-20-083</b>	261	261.85	0.85	231	-	0.374	0.09	
	275.5	276	0.5	77	-	0.17	0.1	
<b>CDH-20-084</b>	194	219	25	47	-	0.01	0.05	B Vein system
Includes	206	213	7	126	-	0.02	0.08	
Includes	208	210.45	2.45	208	-	0.01	0.05	
<b>CDH-21-085</b>	47	57	10	67	-	-	-	F vein + Stock work
Includes	49	50.3	1.3	254	-	-	-	F vein
<b>CDH-21-086</b>	2.35	7	4.65	54	-	-	-	Hanging-wall vein
	90	101.32	11.32	49	-	-	-	F vein + Stock work
Includes	94	95.28	1.28	181	-	-	-	F vein
<b>CDH-21-087</b>	102	127	25	59	-	-	-	F vein + Stock work
Includes	104	108	4	200	-	-	-	
Includes	105.06	106.15	1.09	559	-	-	-	F vein
<b>CDH-21-088</b>	147	156	9	107	-	-	-	F vein + Stock work
Includes	148.7	154	5.3	144	-	-	-	F vein
<b>CDH-21-089</b>	46.39	47.25	0.86	96	-	0.01	0.12	Hanging-wall vein
	140.1	155.55	15.45	162	-	0.08	0.37	F vein + Stock work
Includes	140.1	147	6.9	285	-	0.16	0.76	
Includes	140.1	142.8	2.7	439	-	0.35	1.52	F vein
Includes	140.1	140.67	0.57	533	-	0.265	1.505	F vein
Includes	141.35	142	0.65	511	-	0.468	1.225	
	169	173	4	233	-	0.03	0.44	Footwall vein
Includes	169	170	1	411	-	0.027	0.05	
<b>CDH-21-090</b>	88.45	89.65	1.2	503	-	0.09	0.22	Hanging-wall vein
Includes	89.1	89.65	0.55	889	-	0.17	0.38	Hanging-wall vein
	115.7	119.64	3.94	185	-	0.1	0.22	F vein
Includes	116.45	118.85	2.4	245	-	0.13	0.28	
Includes	117.4	118	0.6	365	-	0.209	0.551	
	130	131	1	165	-	0.06	0.19	Footwall vein
<b>CDH-21-091</b>	50.15	51.7	1.55	189	-	0.07	0.21	F vein system
Includes	50.15	51	0.85	271	-	0.093	0.28	F vein
	62	63	1	104	-	0.03	0.08	Footwall system
<b>CDH-21-092</b>	25.56	28	2.44	217	-	0.08	0.14	Hanging-wall Structure
Includes	25.56	26.5	0.94	368	-	0.15	0.17	

	74.7	77.64	2.94	321	-	0.22	0.57	F Vein	
Includes	75.7	77.64	1.94	428	-	0.3	0.73		
Includes	75.7	76.5	0.8	413	-	0.3	0.57		
Includes	76.5	77.64	1.14	439	-	0.29	0.84		
	145	153	8	130	-	0.07	0.24	Footwall system	
Includes	145	147.9	2.9	265		0.15	0.54		
Includes	146.4	147.9	1.5	339		0.2	0.77		
<b>CDH-21-093</b>	118.95	123.75	No significant results				Mine Stope		
<b>CDH-21-094</b>	90.95	92.9	1.95	104		0.1	0.15	Hanging-wall vein	
	175	184	9	354		0.11	0.36	F Vein	
Includes	175	181	6	481		0.153	0.35		
Includes	176.9	179.53	2.63	809		0.3	0.45		
Includes	176.9	178.4	1.5	985		0.47	0.5		
Includes	178.4	179.53	1.13	576		0.06	0.4		
<b>CDH-21-095</b>	38.65	39.09	0.44	218		-	0.1	Faulted Hanging-wall Vein	
<b>CDH-21-096</b>	182	212	30	86		-	0.04	F vein system	
Includes	182	196	14	164		-	0.07	Faulted F vein system	
Includes	186	195	9	230		-	0.11	Faulted F Vein system	
Includes	186	187	1	194		-	0.06	F Vein	
Includes	187	189.37	2.37	425		-	0.23		
Includes	189.37	190.6	1.23	242		-	0.11	Faulted F vein system	
Includes	192	193.5	1.5	228		-	0.04	Quartz veining in intrusive	
<b>CDH-21-097</b>	98	100	2	33		0.047	0.05	Fault Zone	
<b>CDH-21-098</b>	88.45	89.47	1.02	32		0.01	0.3	Fault Zone	
<b>CDH-21-099</b>	126.41	127.58	1.17	61		0.011	0.08	Hydrothermal breccia	
	207	209	2	30		0.031	0.04	Rhyolite some oxidation	
<b>CDH-21-100</b>	No Significant Values								
<b>CDH-21-101</b>	208.5	210.1	1.6	459		0.23	4	Fault zone with tiny quartz stockwork (East Block)	
including	208.5	209	0.5	1,190		0.588	3.93		
including	209	210.1	1.1	127		0.08	0.152		
<b>CDH-21-102</b>	83.2	86.95	3.75	81		0.01	0.27	Quartz Barite Vein	
includes	83.2	84	0.8	163		0.02	0.062	Oxidized & Silicified Rhyolite	
	91	92	1	94		0.01	0.05		
<b>CDH-21-103</b>	65.13	66	0.87	179		0.01	0.03	Quartz Barite Vein	
	166	210	44	333		0.1	0.1	Hydrothermal Breccia with Rhyolite	
Includes	179	196	17	805		0.21	0.137		
and	183	194	11	1201		0.3	0.16	Hydrothermal Breccia & Quartz Barite Vein	
Includes	188	194	6	2035		0.5	0.19	Quartz barite rhyolite host	
and	188	189.52	1.52	933		0.099	0.258		
and	189.52	191	1.48	657		0.128	0.161	Hydrothermal Breccia	
and	191	192.15	1.15	483		0.166	0.164		
and	192.15	193.07	0.92	9,840		2.59	0.08	Quartz Barite Vein	
<b>CDH-21-104</b>	85	90	5	100		0.03	0.05	Quartz Barite Vein	
Includes	86	88.45	2.45	154		0.05	0.08		
	120.45	124.57	4.12	124		0.05	0.43		
Includes	121	123.5	2.5	168		0.05	0.54		
	174.5	177.5	3	120		0.04	0.24	Rhyolite with quartz stockwork & hydrothermal breccia	
	185	186	1	802		0.34	0.29	Quartz Barite Vein	
<b>CDH-21-105</b>	121	123.5	2.5	174		0.33	0.43	<i>JZ Trap Zone</i> -Hydrothermal Breccia	
	163	165	2	288		0.01	0.03	<i>JZ Trap Zone</i> -Rhyolite with quartz breccia	
	243	245	2	111		0.03	0.08	<i>JZ Trap Zone</i> -Hydrothermal Breccia	
<b>CDH-21-106</b>	145	149	4	316		0.12	0.1	<i>JZ Trap Zone</i> – Rhyolite with quartz stockwork	
and	147	149	2	417		0.17	0.12		
	184	205	21	34		0.02	0.1		
<b>CDH-21-107</b>	24	29	5	40		0.03	0.02	<i>JZ Trap Zone</i> – Rhyolite Breccia	
	147.5	153	5.5	111		0.02	0.07		

Includes	150	151.5	1.5	200		0.019	0.05	<i>JZ Trap Zone</i>