

Columba Silver Project - Drill Results

Hole ID	From (meters)	To (meters)	Interval (meters)	Silver gpt	Gold gpt	Pb %	Zn %	Geologic Intersection
<b>CDH-19-001</b>	59	75.5	16.5	<b>93</b>	N/A	-	-	Hanging-wall Vein
Including	61.58	71	9.42	<b>141</b>	N/A	-	-	<b>F Vein</b>
Including	68	70.15	2.15	<b>307</b>	N/A	-	-	
<b>CDH-19-002</b>	49.83	51	1.17	<b>111</b>	N/A	-	-	Hanging-wall Vein
	70	84	14	<b>104</b>	N/A	-	-	<b>F Vein</b>
Including	80	81	1	<b>328</b>	N/A	-	-	
	71.27	75	3.73	<b>213</b>	<b>0.311</b>	-	-	
Including	71.27	72	0.73	<b>332</b>	<b>0.554</b>	-	-	
<b>CDH-19-003</b>	15	20	5	<b>85</b>	N/A	-	-	<b>F Vein</b>
<b>CDH-19-004</b>	No Significant values							N/A
<b>CDH-19-005</b>	20	24.83	4.83	<b>230</b>	-	-	-	<b>F Vein</b>
Including	21	22.15	1.15	<b>775</b>	-	-	-	
Including	21	23	2	<b>518</b>	-	-	-	
<b>CDH-19-006</b>	139	140.5	1.5	<b>235</b>	-	-	-	Hanging-wall vein Stockwork
	150.61	151.48	0.87	<b>267</b>	-	-	-	
	165	175.45	10.45	<b>133</b>	-	-	-	
Including	174	175.45	1.45	<b>287</b>	-	-	-	<b>F Vein</b>
	175.45	178	2.55	N/A	-	-	-	Mined Stope
<b>CDH-19-007</b>	110	111.68	1.68	<b>417</b>	-	-	0.125	Hanging Wall Vein
	149.45	151	1.55	<b>693</b>	-	0.428	1.13	
	151	154	3	N/A	-	N/A	N/A	Mined Stope
<b>CDH-19-008</b>	19	52.5	33.5	112	-	N/A	N/A	Hanging Wall Vein
Includes	42.45	47.3	4.85	<b>408</b>	-	0.695	1.08	<b>F Vein</b>
Includes	44.25	44.83	0.58	<b>707</b>	-	0.271	0.43	
Includes	44.83	46	1.17	<b>366</b>	-	0.135	0.162	
Includes	46	47.3	1.3	<b>509</b>	-	0.164	0.26	
	63.92	65.38	1.46	148	-	-	-	Footwall Vein
<b>CDH-19-009</b>	145	147.9	2.9	<b>516</b>	-	-	0.206	Hanging Wall Vein
Includes	147	147.9	0.9	<b>1,070</b>	-	0.0193	0.411	
	168	178.4	10.4	50	-	-	-	
	178.4	181.45	3.05	N/A	-	-	-	
<b>CDH-19-010</b>	0	3.05	3.05	200	-	-	-	Hanging Wall Vein
	177	190	13	42	-	-	-	Altered Intrusive
Includes	188	189	1	197	-	-	-	Hanging Wall Vein
	215	217	2	112	-	-	0.256	
	219	221.53	2.53	<b>338</b>	-	0.275	0.63	<b>F Vein</b>
Includes	219	220.6	1.6	<b>391</b>	-	0.293	0.72	
Includes	220.6	221.53	0.93	<b>247</b>	-	0.245	0.477	
<b>CDH-19-011</b>	63	74	<b>11</b>	<b>133</b>	-	0.04	0.15	<b>F Vein</b>
Includes	63	68	<b>5</b>	<b>245</b>	0.126	0.07	0.27	
Includes	65	66	<b>1</b>	<b>648</b>	0.634	0.218	0.609	
	104	105.2	1.2	228	-	0.126	0.561	Footwall Vein
	122.13	124	1.87	102	-	0.031	0.113	Footwall Vein
<b>CDH-19-012</b>	145.65	147	1.35	113	-	0.041	0.064	Hanging Wall
	150.3	152.4	<b>2.1</b>	<b>699</b>	-	0.366	0.799	Vein
	214.5	215.1	0.6	113	-	0.053	0.092	<b>F Vein</b>
	237	248	<b>11</b>	<b>184</b>	0.205	0.13	0.393	
Includes	238.85	242	<b>3.15</b>	<b>476</b>	0.657	0.295	1.04	
Includes	239.65	241.4	<b>1.75</b>	<b>755</b>	1.158	0.47	1.725	
	270	272	2	111	-	0.017	0.02	Footwall Vein
<b>CDH-19-013</b>	62	80.85	18.85	45	-	0.01	0.1	Hanging Wall
	80.85	85	4.15	273	-	0.07	0.2	Vein
Includes	80.85	81.5	<b>0.65</b>	<b>697</b>	-	0.15	0.29	<b>I Vein</b>

Includes	82.35	85	2.65	328	-	0.1	0.24	
<b>CDH-19-014</b>	54.08	54.59	0.51	155	-	0.055	0.125	Hanging Wall Vein
	80.43	80.85	0.42	894	-	0.023	0.408	Hanging Wall Vein
	107.57	108.3	0.73	115	-	0.049	0.133	Hanging Wall Vein
	136	137.25	1.25	262	-	0.207	0.648	Hanging Wall Vein
	158	162.71	5.01	261	-	0.316	0.55	<b>I Vein</b>
<b>CDH-19-015</b>	224	224.56	0.56	283	-	-	-	<b>F Vein</b>
<b>CDH-19-016</b>	58.33	62.5	4.17	26		0.021	0.034	Hanging wall vein
	67.1	67.4	0.3	1,005	-	0.361	0.687	<b>I Vein</b>
								(mined stope)
<b>CDH-19-017</b>	104	117.4	13.4	71	-	0.04	0.12	<b>I Vein</b>
Includes	112	117.4	5.4	146	-	0.1	0.24	
Includes	114.92	117.4	2.48	212	-	0.2	0.33	
	117.4	118.95	1.55	-	-	-	-	mined stope
<b>CDH-19-018</b>	16.7	70.83	54.13	32		0.01	0.05	Hanging Wall Vein, <b>I Vein &amp; Footwall</b>
Includes	40.86	41.4	0.54	357	-	-	-	<b>I Vein</b>
Includes	63	63.71	0.71	237	-	0.091	0.268	Footwall Vein
<b>CDH-19-019</b>	15	27	12	35	-	0.01	0.08	HangingWall vein
	53.55	79.3	25.75	25	-	0.01	0.05	
	102	119.04	17.04	42	-	0.03	0.07	
Includes	109.8	110.32	0.52	175	-	0.308	0.462	I Vein (Faulted)
<b>CDH-19-020</b>	95	97	2	147	-	0.032	0.1	Hanging Wall Vein
	179.06	180.04	0.98	122	-	0.126	0.513	I Vein
	259	260.75	1.75	113	-	0.077	0.332	Footwall Vein
<b>CDH-19-021</b>	91	92.2	1.2	187	-	0.1	0.361	D vein
	92.2	116	23.8	51	-	0.02	0.1	Footwall stockwork-breccias
Includes	112	114	2	191	-	0.084	0.168	
<b>CDH-19-022</b>	77.75	84	6.25	244	-	0.117	0.231	<b>D Vein</b>
Includes	79.3	80.8	1.5	373	-	0.211	0.403	
<b>CDH-19-023</b>	139.9	150.2	10.3	60	-	0.034	0.085	<b>E vein</b>
Includes	143	144	1	138	-	0.046	0.115	
	157.1	158.74	1.64	236	-	0.074	0.068	Footwall E Vein
	175.35	176.6	1.25	145	-	0.028	0.08	
	193.38	194.34	0.96	146	-	0.047	0.072	
	201	202	1	138	-	0.067	0.044	
<b>CDH-19-024</b>	29.48	31	1.52	198	-	0.05	0.138	<b>J Vein</b>
Includes	30.5	31	0.5	358	-	0.033	0.337	
	48.8	74	25.2	47	-	0.02	0.087	Z vein-Breccias
Includes	53.4	54.9	1.5	160	-	0.064	0.167	<b>Z Vein</b>
<b>CDH-19-025</b>	135.2	233.3	98.1	32	-	0.03	0.119	Stockworks and Breccias
Includes	186.05	193.65	7.6	105	-	0.103	0.411	
<b>CDH-10-026</b>	89	172	83	28	-	0.02	0.06	Stockworks and Breccias
<b>CDH-19-027</b>	120.09	147	26.91	43	-	0.05	0.1	Faulted J vein
Includes	121	127.56	6.56	115	-	0.18	0.25	
Includes	126.17	127.56	1.39	247	-	0.8	0.56	
<b>CDH-19-028</b>	138	205	67	40	-	0.03	0.08	Hydrothermal breccia and Stockwork
Includes	153	167	14	72	-	0.03	0.09	Stockwork
Includes	160	162	2	163	-	0.23	0.31	
Includes	195	205	10	95	-	0.11	0.21	
<b>CDH-19-029</b>	42.7	45.35	2.65	73	-	0.02	0.04	<b>J Vein</b>
	114	166	52	26	-	0.01	0.04	<b>Z Vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	128	136	8	67	-	0.02	0.05	
Includes	130.21	132.3	2.09	172	-	0.05	0.1	
Includes	164	166	2	104	-	0.02	0.06	
<b>CDH-19-030</b>	67.1	76	8.9	76	-	0.02	0.11	<b>J Vein</b> - Fractured Zone, Quartz Barite vein
Includes	70.67	74	3.33	173	-	0.06	0.24	
	149.15	175	25.85	200	-	0.03	0.15	<b>Z Vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	150.5	161.65	11.15	415	-	0.07	0.26	
Includes	154	158.07	4.07	721	-	0.08	0.33	
Includes	154	160.1	6.1	573	-	0.07	0.3	

Includes	156.17	158.07	<b>1.9</b>	<b>982</b>	-	0.08	0.4	
<b>CDH-19-031</b>	223	226	<b>3</b>	<b>314</b>	-	0.2	0.28	<b>E vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	224.15	224.78	<b>0.63</b>	<b>776</b>	-	0.41	0.32	
<b>CDH-19-032</b>	165	175	10	24	-	0.27	0.6	<b>E Vein</b> - Brecciated rhyolite with stockwork of Quartz and Barite
	238.85	289	50.15	20	-	0.02	0.07	Quartz veinlets in Rhyolite and Hydrothermal Breccias
<b>CDH-19-033</b>	105.2	165	59.8	48	-	0.03	0.13	<b>E vein</b> - Fault zone, manganese calcite vein, and rhyolite fragments
Includes	150.95	160.52	<b>9.57</b>	<b>146</b>	-	0.27	1	
<b>CDH-19-034</b>	38.15	54	15.85	68	-	0.02	0.05	Oxidized rhyolite with phenocrystals and quartz stockworks
Includes	41.2	47.83	<b>6.63</b>	<b>103</b>	-	0.04	0.04	<b>E vein</b> - Quartz-barite vein with banded textures
	107	130.21	23.21	20	-	0.16	0.03	Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	117	118	<b>1</b>	<b>124</b>	-	0.04	0.4	
<b>CDH-19-035</b>	39	50.35	<b>11.35</b>	<b>103</b>	-	0.02	0.07	Quartz- Calcite Veinlet Stockwork in Footwall of F Vein
Includes	46	48.28	<b>2.28</b>	<b>405</b>	-	0.054	0.1	
	119	142	23	60	-	0.04	0.16	
Includes	119	122	<b>3</b>	<b>274</b>	-	0.18	0.6	F Vein, Banded Quartz
Includes	120.65	122	<b>1.35</b>	<b>494</b>	-	0.327	1.14	
	179	186.05	<b>7.05</b>	<b>114</b>	-	0.04	0.08	Quartz Calcite Veinlet Stockwork
Includes	179	180	<b>1</b>	<b>547</b>	-	0.1	0.2	Hydrothermal Breccia E Vein
	181	182	1	134	-	0.05	0.06	
CDH-19-036	No significant values							
CDH-19-037	No significant values							
<b>CDH-19-038</b>	161.51	165.53	4.02	65	-	0.03	0.05	Hydrothermal Breccia
Includes	164.7	165.53	0.83	198	-	0.104	0.09	Banded Quartz (F Vein?)
	195.2	196	0.8	106	-	0.02	0.03	Quartz barite vein
	244	254	<b>10</b>	<b>175</b>	-	0.03	0.12	
Includes	247.05	251.68	<b>4.63</b>	<b>301</b>	-	0.05	0.15	B Vein - Quartz, Quartz-Barite veins, veinlet stockwork and silicified rhyolite
Includes	247.05	248.55	<b>1.5</b>	<b>628</b>	-	0.108	0.284	
Includes	248.55	250.6	2.05	106	-	0.007	0.113	
Includes	250.6	251.68	1.08	218	-	0.07	0.06	
<b>CDH-19-039</b>	15.25	21.35	<b>6.1</b>	<b>67</b>	-	0.01	0.06	F Vein close to surface
<b>CDH-19-040</b>	21	25.9	<b>4.9</b>	<b>194</b>	-	0.07	0.19	
Includes	22.85	23.73	<b>0.88</b>	<b>808</b>	-	0.28	0.42	F Vein Banded Quartz
Includes	23.73	24.16	0.43	<b>173</b>	-	0.05	0.14	
<b>CDH-19-041</b>	15	54.9	<b>39.9</b>	<b>159</b>	-	0.05	0.13	
Includes	42.85	50.3	<b>7.45</b>	<b>650</b>	-	0.23	0.26	
Includes	42.85	44	<b>1.15</b>	<b>919</b>	-	0.361	0.092	
Includes	44	45	<b>1</b>	<b>953</b>	-	0.337	0.373	F Vein Banded Quartz
Includes	45	46	<b>1</b>	<b>527</b>	-	0.163	0.213	
Includes	46	47	<b>1</b>	<b>860</b>	-	0.242	0.417	
Includes	47	48.8	<b>1.8</b>	<b>715</b>	-	0.302	0.259	
<b>CDH-20-042</b>	42.4	42.7	0.3	<b>115</b>	-			Hanging wall Quartz vein
And	67	80	13	<b>86</b>	-	0.02	0.1	<b>F Vein system &amp;</b>
And	70.4	76.3	5.9	<b>111</b>	-	0.03	0.11	mined stope
<b>CDH-20-043</b>	63	64	1	<b>105</b>	-	0.02	0.06	<b>F Vein system &amp;</b>
And	75	80	5	<b>119</b>	-	0.05	0.16	mined stope
<b>CDH-20-044</b>	29	30.9	1.9	56	-	0.03	0.01	Calcite-Quartz-Barite vein (Footwall Vein)
<b>CDH-20-045</b>	63.7	68	4.3	<b>239</b>	-	0.08	0.36	Faulted F Vein
Includes	64.6	67.1	2.5	<b>350</b>	-	0.12	0.48	
Includes	65.6	67.1	1.5	<b>456</b>	-	0.17	0.62	<b>F Vein</b>
And	77	80	3	<b>208</b>	-	0.08	0.21	
Includes	78.3	78.8	0.5	<b>974</b>	-	0.03	0.3	Quartz Barite Vein, (Footwall Vein)
<b>CDH-20-046</b>	71	77.8	6.8	<b>264</b>	-	0.06	0.13	
Includes	71.8	73.2	1.4	<b>911</b>	-	0.24	0.24	
Includes	71.8	74.7	2.9	<b>553</b>	-	0.13	0.18	

Includes	71.8	72.4	0.6	<b>1585</b>	-	0.33	0.33	<b>F Vein Structure</b>
Includes	72.7	73.2	0.5	<b>689</b>	-	0.206	0.29	
Includes	73.2	74.7	1.5	<b>219</b>	-	0.04	0.13	
<b>CDH-20-047</b>	111	126.65	15.65	<b>166</b>	-	0.17	0.47	
Includes	114	119.97	5.97	<b>351</b>	-	0.4	1.03	<b>F Vein Structure</b>
Includes	115	119.97	4.97	<b>400</b>	-	0.45	1.2	
Includes	115.7	116.75	1.05	<b>782</b>	-	1.13	3.6	
Includes	116.75	117.9	1.15	<b>305</b>	-	0.1	0.3	
Includes	117.9	119	1.1	<b>219</b>	-	0.38	0.65	
Includes	119	119.97	0.97	<b>432</b>	-	0.48	1.05	
Includes	119.97	126.65	6.68	55	-	0.02	0.13	
<b>CDH-20-048</b>	108.69	109.75	<b>1.06</b>	<b>259</b>	-	0.16	0.3	Hanging-wall Structure
	182	189	<b>7</b>	<b>124</b>	-	0.16	0.6	F Vein Structure
including	184.4	188	<b>3.6</b>	<b>197</b>	-	0.28	1.07	
including	184.4	186.05	<b>1.65</b>	<b>257</b>	-	0.33	1.74	Footwall Structure
	219	220	1	104	-	0.2	0.04	
<b>CDH-20-049</b>	124	126.8	<b>2.8</b>	<b>762</b>	-	0.42	0.54	Hanging-wall Vein
including	125.8	126.8	<b>1</b>	<b>2010</b>	-	1.18	1.24	Hanging-wall Structure
	248.8	259	<b>10.2</b>	<b>68</b>	-	0.02	0.1	
including	250.95	251.6	<b>0.65</b>	<b>368</b>	-	0.2	0.43	F Vein Structure
	311	315.4	<b>4.4</b>	<b>209</b>	-	0.16	0.26	
including	311.9	312.7	0.8	<b>212</b>	-	0.29	0.53	
and	314	315.4	<b>1.4</b>	<b>484</b>	-	0.15	0.3	Hanging-wall Structure
<b>CDH-20-050</b>	137.8	145.9	<b>8.1</b>	<b>92</b>	-	0.07	0.12	
including	140.2	140.7	<b>0.5</b>	<b>737</b>	-	0.257	0.52	F Vein Structure
	175	213	38	50	-	0.04	0.11	
including	175	176.2	1.2	141	-		0.09	
and	184.7	185.15	<b>0.45</b>	<b>486</b>	-	0.24	0.15	
and	198.25	200.06	1.81	118	-	0.13	0.24	
and	211	213	2	119	-	0.06	0.22	
<b>CDH-20-051</b>	147	153	<b>6</b>	<b>317</b>	-	0.12	0.17	Hanging-wall Structure
including	149	151	<b>2</b>	<b>865</b>	-	0.37	0.42	
	193	198	<b>5</b>	<b>87</b>	-	0.07	0.1	Hanging-wall Vein
including	196.54	198	1.46	<b>135</b>	-	0.02	0.15	
	207	243	<b>36</b>	<b>72</b>	-	0.05	0.17	F Vein Structure
including	207	211.36	<b>4.36</b>	<b>317</b>	-	0.27	0.93	
and	210.26	211.36	<b>1.1</b>	<b>769</b>	-	0.75	2.88	Footwall Structure
	278	281.63	3.63	147	-	0.21	1.41	
<b>CDH-20-052</b>	100.92	143.35	42.43	61	-	0.03	0.12	F Vein + Hanging Wall
Including	100.92	108.45	7.53	199	-	0.08	0.27	
	100.92	105	4.08	<b>279</b>	-	0.11	0.38	
	102.39	105	2.61	<b>366</b>	-	0.14	0.5	
Including	102.39	103.62	1.23	<b>601</b>	-	0.26	0.76	<b>F Vein</b>
And	132.55	134.48	1.93	103	-	0.06	0.67	
CDH-20-053	72.48	72.91	0.43	193	-	0.13	0.19	
And	138	172	34	116	-	0.11	0.24	
Including	139	150	11	175	-	0.17	0.37	<b>F Vein</b>
Including	161.65	164.65	3	<b>496</b>	-	0.55	0.91	
Including	162.65	164.65	2	<b>620</b>	-	0.35	0.9	
Including	162.65	163.6	0.95	<b>753</b>	-	0.38	1	
Including	163.6	164.65	1.05	<b>501</b>	-	1	0.82	
<b>CDH-20-054</b>	98	123	25	57	-	0.12	0.13	<b>F Vein</b>
Including	106	111	5	158	-	0.4	0.35	
Including	108	109.8	1.8	<b>319</b>	-	0.18	0.5	F Vein Footwall
And	121	123	2	104	-	0.07	0.28	
<b>CDH-20-055</b>	196.7	199.75	3.05	58	-	0.05	0.11	<b>F Vein</b>
Including	198.25	198.8	0.55	101	-	0.1	0.15	
And	217	221	4	171	-	0.1	0.3	
Including	217	219	2	150	-	0.08	0.27	Footwall Structure
Including	219	221	2	192	-	0.2	0.31	
<b>CDH-20-056</b>	Abandoned Due to Bad Ground							

<b>CDH-20-057</b>	275.91	280.47	4.56	103	-	0.12	0.19	<b>F Vein</b>
Includes	275.91	280.47	1.81	163	-	0.26	0.32	
And	166	226.84	60.84	40	-	0.03	0.1	
<b>CDH-20-058</b>	Hit An Old Mine Working At Target Depth							
<b>CDH-20-059</b>	No Significant values							<b>F Vein</b>
<b>CDH-20-060</b>	144	208	64	132	-	0.03	0.1	<b>J-Z Vein</b>
Includes	147	156	9	226	-	0.03	0.13	
Includes	152	153	1	<b>1025</b>	-	0.08	0.21	
Includes	183	205	22	229	-	0.05	0.14	
Includes	190	201	11	<b>361</b>	-	0.08	0.18	
Includes	191	196	5	<b>608</b>	-	0.09	0.12	
Includes	191	192	1	<b>447</b>	-	0.034	0.096	
Includes	192	193	1	<b>342</b>	-	0.056	0.081	
Includes	193	194	1	<b>1160</b>	-	0.1	0.128	
Includes	194	195	1	<b>776</b>	-	0.175	0.223	
Includes	195	196	1	<b>315</b>	-	0.093	0.101	
<b>CDH-20-061</b>	180	210.85	30.85	<b>43</b>	-	0.02	0.06	
Includes	180	181	1	<b>164</b>	-	0.15	0.1	
Includes	180	188	8	<b>63</b>	-	0.35	0.72	
Includes	194	197	3	<b>72</b>	-	0.05	0.06	
Includes	203	204	1	<b>108</b>	-	0.03	0.06	
Includes	203	210.85	7.85	<b>54</b>	-	0.02	0.06	
	222	224	2	<b>144</b>	-	0.1	0.52	
<b>CDH-20-062</b>	69.4	81	<b>11.6</b>	<b>93</b>	-	0.03	0.1	Hydrothermal Breccia & Stockwork
Includes	71	79.3	<b>8.3</b>	<b>115</b>	-	0.04	0.13	
Includes	71	72	1	161	-	0.09	0.2	
Includes	72	73	1	141	-	0.056	0.14	
Includes	73	74.7	1.7	111	-	0.05	0.1	
Includes	76.25	77.75	1.5	103	-	0.01	0.04	
Includes	77.75	79.3	1.55	141	-	0.06	0.23	
<b>CDH-20-063</b>	66	75	<b>9</b>	<b>91</b>	-	0.04	0.08	Hydrothermal Breccia & Stockwork
Includes	70	73.2	<b>3.2</b>	<b>165</b>	-	0.1	0.11	
	161.51	164	<b>2.49</b>	<b>187</b>	-	0.05	0.06	
Includes	161.51	162	<b>0.49</b>	<b>762</b>	-	0.15	0.15	
<b>CDH-20-064</b>	61.31	69	<b>7.69</b>	<b>67</b>	-	0.02	0.04	Quartz Vein
Includes	62.5	67	4.5	100	-	0.03	0.05	
<b>CDH-20-065</b>	72	79	<b>7</b>	<b>106</b>	-	0.02	0.11	Quartz Vein
<b>CDH-20-066</b>	129	148	19	22	-	0.01	0.03	Hydrothermal Breccia & Stockwork
Includes	144	148	4	52	-	0.01	0.03	
	189.5	215	<b>25.5</b>	<b>69</b>	-	0.05	0.15	
Includes	206	215	<b>9</b>	<b>154</b>	-	0.1	0.3	
Includes	213.5	215	<b>1.5</b>	<b>773</b>	-	0.4	0.8	
<b>CDH-20-067</b>	87	137.25	50.25	18	-	0.01	0.03	Hydrothermal breccia & Stockwork (J&Z Vein)
<b>CDH-20-068</b>	213	215.88	2.88	58	-	0.01	0.17	Hydrothermal breccia & Stockwork (J&Z Vein)
<b>CDH-20-069</b>	132	211	<b>79</b>	<b>58</b>	-	0.04	0.22	Hydrothermal breccia & Stockwork (J&Z Vein)
Includes	159	169.1	<b>10.1</b>	<b>152</b>	-	0.14	0.4	
Includes	166	169.1	<b>3.1</b>	<b>325</b>	-	0.37	2.6	
Includes	169.1	171	<b>1.9</b>	<b>115</b>	-	0.03	0.49	
Includes	177	179	<b>2</b>	<b>176</b>	-	0.04	0.11	
Includes	179	180	<b>1</b>	<b>111</b>	-	0.035	0.09	
Includes	190.6	192	<b>1.4</b>	<b>126</b>	-	0.089	0.16	
	286.28	286.82	0.54	336	-	0.355	2.08	
<b>CDH-20-070</b>	83	84.4	1.4	91	-	0.04	0.14	Hydrothermal breccia & Stockwork (J&Z Vein)
	130	133	3	64	-	0.02	0.13	
	171.8	175.58	<b>3.78</b>	<b>170</b>	-	0.07	0.32	
	202.5	230.25	27.75	40	-	0.02	0.06	
<b>CDH-20-071</b>	100.03	100.65	0.62	178	-	0.11	0.38	Hydrothermal breccia (E Vein)
	107	108	1	74	-	0.03	0.15	Quartz stockwork (E Vein)
<b>CDH-20-072</b>	No Significant values							

<b>CDH-20-073</b>	95.59	97.06	1.47	102	-	0.02	0.07	E Vein
	121.37	121.91	0.54	69	-	0.01	0.02	Hydrothermal breccia & Quartz barite vein
<b>CDH-20-074</b>	64.35	64.9	0.55	91	-	0.043	0.05	E vein
<b>CDH-20-075</b>	232	239.5	7.5	33	-	0.01	0.05	Quartz stockwork (E Vein)
<b>CDH-20-076</b>	69.94	164	<b>94.06</b>	<b>40</b>	-	0.03	0.07	Hydrothermal breccia & Quartz barite vein (W Vein)
Includes	83.5	84.5	<b>1</b>	<b>272</b>	-	0.1	0.18	W Vein
Includes	83.5	90.5	<b>7</b>	<b>97</b>	-	0.03	0.12	W Vein system
Includes	96.5	100	<b>3.5</b>	<b>105</b>	-	0.03	0.1	Hydrothermal breccia
Includes	134.2	138	<b>3.8</b>	<b>98</b>	-	0.11	0.18	Faulted hydrothermal breccia
	185	186.19	1.19	118	-	0.02	0.01	Quartz stockwork
<b>CDH-20-077</b>	No Significant values							E Vein
<b>CDH-20-078</b>	No Significant values							E Vein
<b>CDH-20-079</b>	150.95	160	<b>9.05</b>	<b>179</b>	-	0.05	0.14	D vein
Includes	150.95	156.3	<b>5.35</b>	<b>290</b>	-	0.08	0.22	
Includes	153.6	155.18	<b>1.58</b>	<b>525</b>	-	0.14	0.42	
Includes	153.6	154.34	<b>0.74</b>	<b>689</b>	-	0.226	0.52	
Includes	154.34	155.18	<b>0.84</b>	<b>381</b>	-	0.06	0.33	
<b>CDH-20-080</b>	92	116.25	<b>24.25</b>	<b>80</b>	-	0.04	0.11	D Vein
Includes	93	95.5	<b>2.5</b>	<b>195</b>	-	0.06	0.13	
<b>CDH-20-081</b>	No Significant values							
<b>CDH-20-082</b>	26.3	30.5	4.2	42	-	0.02	0.03	F Vein system
	93	95.5	<b>2.5</b>	<b>195</b>	-	0.06	0.11	F Vein
Includes	93	94	<b>1</b>	<b>434</b>	-	0.15	0.15	
and	127.5	198	<b>70.5</b>	<b>112</b>	-	0.02	0.1	B Vein system
Includes	183	192	<b>9</b>	<b>691</b>	-	0.11	0.46	B Vein
Includes	184.5	189.1	<b>4.6</b>	<b>1,186</b>	-	0.2	0.53	
Includes	184.5	186.05	<b>1.55</b>	<b>1,455</b>	-	0.13	0.34	
Includes	186.05	187.55	<b>1.5</b>	<b>1,055</b>	-	0.378	0.88	
Includes	187.55	189.1	<b>1.55</b>	<b>1,045</b>	-	0.092	0.38	
<b>CDH-20-083</b>	261	261.85	0.85	231	-	0.374	0.09	F Vein system
	275.5	276	0.5	77	-	0.17	0.1	
<b>CDH-20-084</b>	194	219	25	47	-	0.01	0.05	B Vein system
Includes	206	213	<b>7</b>	<b>126</b>	-	0.02	0.08	
Includes	208	210.45	<b>2.45</b>	<b>208</b>	-	0.01	0.05	